

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1925	375/340.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 11:06
S2	1499	375/340.ccls. and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:32
S3	221	((modulat\$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:41
S4	155	((modulat\$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 17:38
S5	5	((different or multipl\$3 or many or plural\$4) near1 modulat\$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 17:42
S6	2	((different or multipl\$3 or many or plural\$4) near1 modulat\$4 near (format or mode or standard)) same (rate near convert\$4)) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 17:46
S7	10	((different or multipl\$3 or many or plural\$4) near1 modulat\$4 near (format or mode or standard)) and (rate near convert\$4)) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 18:29

S8	120	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and (data near rate) and (modulat\$4 near (mode or format or standar\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 18:32
S9	21	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((data near rate) same (modulat\$4 near (mode or format or standar\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 18:36
S11	5	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((data near rate) and ((differen\$3 or seperat\$3 or many or multipl \$3 or plural\$4) near2 modulat \$4 near (mode or format or standar\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 19:08
S12	5	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((data near rate) and ((differen\$3 or seperat\$3 or many or multipl \$3 or plural\$4 or various) near2 modulat\$4 near (mode or format or standar\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 19:09
S13	5	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((data near rate) and ((differen\$3 or seperat\$3 or many or multipl \$3 or plural\$4 or various) near2 (modulat\$4) near (mode or format\$3 or standar \$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 19:11
S14	6	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat \$4) near (mode or format\$3 or standar\$4)) and "375"/. ccls. and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/31 11:38

S15	1	((down near convert\$4) or (base near band) or (base-band)) same (adc or (analog near digital near convert\$4)) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural \$4 or various) near2 (modulat \$4) near (mode or format\$3 or standar\$4)) and (wireless near rec\$6) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 15:11
S16	2	((down near convert\$4) or (base near band) or (base-band)) and (adc or (analog near digital near convert\$4)) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural \$4 or various) near2 (modulat \$4) near (mode or format\$3 or standar\$4)) and (wireless near rec\$6) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/31 11:54
S17	64	((down near convert\$4) or (base near band) or (base-band)) and (adc or (analog near digital near convert\$4)) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural \$4 or various) near2 (modulat \$4) near (mode or format\$3 or standar\$4 or method)) and (data near rate) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/31 15:38
S18	489	common near (adc or a/d or (analog near1 digital near convert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:34
S19	380	common near (adc or a/d or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:45
S20	47	common near (adc or a/d or (analog near1 digital near convert\$4)) and @ad<"20030630" and (data rate) and (format or mode or standard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 17:31

S21	2	common near (adc or a/d or (analog near1 digital near convert\$4)) and @ad<"20030630" and (data rate) and (format or mode or standard) and rate near convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 17:32
S22	39	(mode near detection) same (decimat\$4 or (rate near conver\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:24
S23	45	(mode near detect\$4) same (decimat\$4 or (rate near (convers\$5 or convert\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:31
S24	13	(mode near detect\$4) same (decimat\$4 or (rate near (convers\$5 or convert\$4))) and (data near rate) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:59
S25	20128	(mode near detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:59
S26	14178	(mode detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:59
S27	342	(mode detect\$4) and @ad<"20030630" and "375"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:01
S28	94	(mode detect\$4) and (data rate) and @ad<"20030630" and "375"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:07
S29	247	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat \$4) near (mode or format\$3 or standar\$4)) and (data rate) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:01

S30	2	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near (modulat\$4) near (mode or format\$3 or standar\$4)) and (data rate) and (mode detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 15:25
S31	2	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near (modulat\$4) near (mode or format\$3 or standar\$4)) and (data rate) and (mode near detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 16:02
S32	3	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near (modulat\$4) near (mode or format\$3 or standar\$4)) and ((data rate) or (sampl\$4 rate) or (digiti\$4 rate)) and (mode near detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 16:07
S34	2	us-5313631-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 16:11
S35	2	us-7164731-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 16:11
S36	87	375/340.ccls. and @ad<"20030630" and (power near control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:40
S37	1316	@ad<"20030630" and (power near control near modul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:41
S38	1	@ad<"20030630" and (power near control near modul\$3) and (base near band near3 modul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:43

S39	7	@ad<"20030630" and (power near control near modul\$3) and (base near band)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:52
S40	5097	@ad<"20030630" and (power near control\$3) and ((baseband) or (base-band) or (base band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:55
S41	1037	@ad<"20030630" and ((power near control\$3) same ((baseband) or (base-band) or (base band)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:56
S42	551	@ad<"20030630" and ((power near control\$3) same ((baseband) or (base-band) or (base band)) and (mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:41
S43	68	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat \$4) near (mode or format\$3 or standar\$4)) and (data rate) and (power near contro \$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:32
S44	1494	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near (mode or format\$3 or standar\$4)) and (data rate) and (power near (contro\$4 or sav\$3)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:40
S45	3	@ad<"20030630" and ((power near (control\$3 or sav\$3) near mod\$5) same (((baseband) or (base-band) or (base band)) near mod\$4) and (mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:44
S46	6	@ad<"20030630" and ((power near (control\$3 or sav\$3) near mod\$5) same (((baseband) or (base-band) or (base band)) near2 mod \$4) and (mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:46

S47	6	@ad<"20030630" and ((power near (control\$3 or sav\$3) near mod\$5) same ((baseband) or (base-band) or (base band)) near2 mod \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 11:03
S48	45	@ad<"20030630" and (((power near (control\$3 or sav\$3) near mod\$5) or (agc)) same ((baseband) or (base-band) or (base band)) near2 mod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:12
S49	111	@ad<"20030630" and (((power near (control\$3 or sav\$3)) or (agc)) same ((baseband) or (base-band) or (base band)) near2 mod \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:33
S50	21	((modulat\$4 near (format or mode or standard)) same (power (contro\$4 or sav\$4))) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:08
S51	491	common near (adc or a/d or (analog near1 digital near convert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:33
S52	45	(power near (control\$3 or sav\$3)) and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:35
S53	23	(power near (control\$3 or sav\$3)) and S51 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:49
S54	33	((power near (control\$3 or sav\$3)) same ((base near band) or (base-band)) same (mode)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:53
S55	1	@ad<"20030630" and (((power near (control\$3 or sav\$3) near mod\$5)) with ((baseband) or (base-band) or (base band)) near2 proces \$5 near mod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:13

S56	2	((modulat\$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert\$4)) and (aci or (adja \$4 near channe\$3 near interfe \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:42
S57	23	farrow near interpolat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:54
S58	11	farrow near interpolat\$4 and @ad<"20030630" and ((baseband) or (base-band) or (base band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:54
S59	3	us-7319486-\$.did. or us-7289146-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/22 16:13
S60	207	(data near rate) with multip \$3 with (complicat\$4 or toleran\$4 or complex\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 11:07
S61	22	(data near rate) with multip \$3 with (complicat\$4 or toleran\$4 or complex\$4) with (modulat\$3 or format\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 11:08
S62	161	((data near rate) with multip \$3 with (complicat\$4 or toleran\$4 or complex\$4)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 11:09
S63	10	((data near rate) with multip \$3 with (complicat\$4 or toleran\$4 or complex\$4) with (modulat\$3 or format\$3)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 11:10

S64	368	((data near rate) with (complicat\$4 or toleran\$4 or complex\$4) with (modulat\$3 or format\$3 or schem\$3)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 11:27
S65	21	((data near rate) with multip\$3 with (complicat\$4 or toleran\$4 or complex\$4) with (modulat\$3 or format\$3 or schem\$3)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 11:28
S66	252	((rate) with multip\$3 with (integer) with (modulat\$3 or format\$3 or schem\$3)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 11:33
S67	39	((data near rate) with multip\$3 with (integer) with (modulat\$3 or format\$3 or schem\$3)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 11:34
S68	1	((data near rate) with multip\$3 with (integ\$2) with (distortion\$toleran\$2 or complica\$3 or complex) with (modulat\$3 or format\$3 or schem\$3)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 12:54
S69	1	((data near rate) with multip\$3 with (integ\$2)) same ((distortion\$toleran\$2 or complica\$3 or complex) with (modulat\$3 or format\$3 or schem\$3)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 12:55

S70	3	((data near rate) with multip \$3 with (integ\$2)) same ((distortion\$toleran\$2 or complica\$3 or complex)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 12:56
S71	1645384	((modulat\$3 or format\$3 or schem\$3) with (least near diston near tolerant) or complicated or complex) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 13:00
S72	120603	((modulat\$3 or format\$3 or schem\$3) with ((distortion near tolerant) or complicated or complex)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 13:01
S73	3327	((modulat\$3) near ((distortion near tolerant) or complicated or complex)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 13:02
S74	1473	((modulation) near ((distortion near tolerant) or complicated or complex)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 13:03
S75	79	((modulation near2 ((distortion near tolerant) or complicated or complex)) with (data near rate)) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 13:05
S76	2	((modulation near2 ((distortion near tolerant) or complicated or complex)) with (data near rate) with multiple) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 13:07

S77	9	((integ\$2 near multiple) with (modulat\$3 near (format or scheme or standard))) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 13:30
S78	53	((integ\$2 near multiple) with (modulation) with rate) and (@pd<"20030630" or @ad<"20030630" or @prad<"20030630" or @rlad<"20030630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 13:34
S79	43	ping near kao	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 14:26
S80	8	(ping near kao) and chung	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 14:27
S81	2	(ping near kao) and (multiple near modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/13 14:28
S82	4	("2003/0207675").URPN.	USPAT	ADJ	ON	2008/03/13 14:57

3/13/2008 4:23:46 PM

C:\Documents and Settings\hsingh1\My Documents\EAST\Workspaces\10,710,262.wsp